

GEC 88813  
GEC 88815  
GEC 88819

LA-CO Industries, Inc.

# Polishing Block Large Blue, Large White, Small White; Carpenter's Chalk Blue, White; Walbuck® Railroad Chalk Black, Blue, Brown, Cherry, Green, Orange, Pink, Purple, Sky Blue, White, Extra Black, Yellow; Fluorescent Scanning Chalk Green, Magenta, Orange, Purple, Yellow Green

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

Date of issue: 10/07/2015

Revision date: 06/07/2018

Version: 2.0

### SECTION 1: Identification

#### 1.1. Identification


Product form : Mixture  
Trade name : Polishing Block Large Blue, Large White, Small White; Carpenter's Chalk Blue, White; Walbuck® Railroad Chalk Black, Blue, Brown, Cherry, Green, Orange, Pink, Purple, Sky Blue, White, Extra Black, Yellow; Fluorescent Scanning Chalk Green, Magenta, Orange, Purple, Yellow Green

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Marking.  
Restrictions on use : No additional information available

#### 1.3. Supplier

LA-CO Industries, Inc.  
1201 Pratt Boulevard  
Elk Grove Village, IL. 60007-5746  
Phone: (847) 956-7600  
Fax: (847) 956-9885  
E-mail: [customer\\_service@laco.com](mailto:customer_service@laco.com)



#### 1.4. Emergency telephone number

Emergency number : 24-hour emergency: CHEMTREC- U.S. : 1-800-424-9300 International: +1-703-527-3887

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Carc. 1A H350 May cause cancer.

Full text of hazard classes and H-statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS-US labelling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) : Danger  
Hazard statements (GHS-US) : H350 - May cause cancer.  
Precautionary statements (GHS-US) : P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P280 - Wear protective gloves.  
P308+P313 - If exposed or concerned: Get medical advice/attention.  
P405 - Store locked up.  
P501 - Dispose of contents/container to Collection point

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

21.87% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)

# Polishing Block Large Blue, Large White, Small White; Carpenter's Chalk Blue, White; Walbuck® Railroad Chalk Black, Blue, Brown, Cherry, Green, Orange, Pink, Purple, Sky Blue, White, Extra Black, Yellow; Fluorescent Scanning Chalk Green, Magenta, Orange, Purple, Yellow Green

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

21.87% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)  
21.87% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Comments : Concentration ranges are due to batch differences.

Name	Product identifier	%	GHS-US classification
Silicon dioxide (cristobalite)	(CAS-No.) 14808-60-7	0.1 - 2	Carc. 1A, H350

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Gently wash with plenty of soap and water.  
First-aid measures after eye contact : In case of contact, immediately flush eyes with plenty of water.  
First-aid measures after ingestion : Drink plenty of water. Call a POISON CENTER/doctor if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : May cause cancer by inhalation.  
Symptoms/effects after eye contact : May cause slight irritation.

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.  
Unsuitable extinguishing media : None known.

#### 5.2. Specific hazards arising from the chemical

Fire hazard : Burning produces irritating, toxic and noxious fumes.  
Explosion hazard : Product is not explosive.  
Reactivity : No dangerous reactions known.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire.  
Protection during firefighting : Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid creating or spreading dust.

##### 6.1.1. For non-emergency personnel

Protective equipment : Wear suitable gloves.  
Emergency procedures : Ventilate area.

# Polishing Block Large Blue, Large White, Small White; Carpenter's Chalk Blue, White; Walbuck® Railroad Chalk Black, Blue, Brown, Cherry, Green, Orange, Pink, Purple, Sky Blue, White, Extra Black, Yellow; Fluorescent Scanning Chalk Green, Magenta, Orange, Purple, Yellow Green

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

### 6.1.2. For emergency responders

Protective equipment : Wear suitable gloves.  
Emergency procedures : Stop leak if safe to do so.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Contain and collect as any solid. Avoid generating dust.  
Methods for cleaning up : Wipe up with absorbent material (for example cloth). Sweep spilled substance into containers; if appropriate, moisten first to prevent dusting.

### 6.4. Reference to other sections

Section 8: personal protective equipment.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing.  
Hygiene measures : Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials : Heat sources.  
Storage area : Store in dry, cool, well-ventilated area.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Silicon dioxide (cristobalite) (14808-60-7)		
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup>
ACGIH	Remark (ACGIH)	(respirable dust)
OSHA	OSHA PEL (TWA) (ppm)	250 mppcf
OSHA	Remark (OSHA)	(3) See Table Z-3.
NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup>
NIOSH	Remark (NIOSH)	(respirable dust)

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Use rubber gloves. EN374

#### Eye protection:

None under normal use

#### Respiratory protection:

None under normal use

# Polishing Block Large Blue, Large White, Small White; Carpenter's Chalk Blue, White; Walbuck® Railroad Chalk Black, Blue, Brown, Cherry, Green, Orange, Pink, Purple, Sky Blue, White, Extra Black, Yellow; Fluorescent Scanning Chalk Green, Magenta, Orange, Purple, Yellow Green

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: A solid crayon-like marker.
Colour	: red
Odour	: odourless
Odour threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

#### 9.2. Other information

VOC content : 0 %

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No dangerous reactions known.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Heat.

#### 10.5. Incompatible materials

None known.

#### 10.6. Hazardous decomposition products

Burning produces irritating, toxic and noxious fumes. Carbon oxides (CO, CO<sub>2</sub>).

# Polishing Block Large Blue, Large White, Small White; Carpenter's Chalk Blue, White; Walbuck® Railroad Chalk Black, Blue, Brown, Cherry, Green, Orange, Pink, Purple, Sky Blue, White, Extra Black, Yellow; Fluorescent Scanning Chalk Green, Magenta, Orange, Purple, Yellow Green

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
 Acute toxicity (dermal) : Not classified  
 Acute toxicity (inhalation) : Not classified

Unknown acute toxicity (GHS US)	21.87% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 21.87% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 21.87% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))
---------------------------------	--

Skin corrosion/irritation : Not classified  
 Serious eye damage/irritation : Not classified  
 Respiratory or skin sensitisation : Not classified  
 Germ cell mutagenicity : Not classified  
 Carcinogenicity : May cause cancer.

#### Silicon dioxide (cristobalite) (14808-60-7)

IARC group	1 - Carcinogenic to humans
------------	----------------------------

Reproductive toxicity : Not classified  
 STOT-single exposure : Not classified  
 STOT-repeated exposure : Not classified  
 Aspiration hazard : Not classified  
 Viscosity, kinematic : No data available  
 Likely routes of exposure : Inhalation. Skin and eye contact.  
 Symptoms/effects after inhalation : May cause cancer by inhalation.  
 Symptoms/effects after eye contact : May cause slight irritation.

### SECTION 12: Ecological information

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Sewage disposal recommendations : Do not dispose of waste into sewer.  
 Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

# Polishing Block Large Blue, Large White, Small White; Carpenter's Chalk Blue, White; Walbuck® Railroad Chalk Black, Blue, Brown, Cherry, Green, Orange, Pink, Purple, Sky Blue, White, Extra Black, Yellow; Fluorescent Scanning Chalk Green, Magenta, Orange, Purple, Yellow Green

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT

Not regulated.

#### Transportation of Dangerous Goods

Not regulated.

#### Transport by sea

Not regulated.

#### Air transport

Not regulated.

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

#### 15.2. International regulations

##### CANADA

###### Silicon dioxide (cristobalite) (14808-60-7)

Listed on the Canadian DSL (Domestic Substances List) inventory.

##### EU-Regulations

###### Silicon dioxide (cristobalite) (14808-60-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

##### National regulations

###### Polishing Block Large Blue, Large White, Small White; Carpenter's Chalk Blue, White; Walbuck® Railroad Chalk Black, Blue, Brown, Cherry, Green, Orange, Pink, Purple, Sky Blue, White, Extra Black, Yellow; Fluorescent Scanning Chalk Green, Magenta, Orange, Purple, Yellow Green

All components are listed on the EEC inventory European Inventory of Existing Commercial Chemical Substances (EINECS).  
All ingredients are listed on the Canadian Domestic Substances List (DSL) or Non-Domestic Substances List (NDSL).  
All ingredients are listed in the Toxic Substances Control Act (TSCA).

###### Silicon dioxide (cristobalite) (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on Taiwan National Chemical Inventory  
Listed on the Korean ECL (Existing Chemicals List)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on the Inventory of Existing Chemical Substances Produced or Imported in China (IECSC).  
Listed on KECl (Korean Existing Chemicals Inventory)

# Polishing Block Large Blue, Large White, Small White; Carpenter's Chalk Blue, White; Walbuck® Railroad Chalk Black, Blue, Brown, Cherry, Green, Orange, Pink, Purple, Sky Blue, White, Extra Black, Yellow; Fluorescent Scanning Chalk Green, Magenta, Orange, Purple, Yellow Green

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

### 15.3. US State regulations

**⚠ WARNING:** This product can expose you to Silicon dioxide (cristobalite), which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Component	Carcinogenicity	Developmental toxicity	Reproductive toxicity male	Reproductive toxicity female	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Silicon dioxide (cristobalite)(14808-60-7)	X					

Component	State or local regulations
Silicon dioxide (cristobalite)(14808-60-7)	U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S. - New Jersey - Right to Know Hazardous Substance List

### SECTION 16: Other information

Revision date : 06/07/2018

Data sources : ACGIH (American Conference of Government Industrial Hygienists), European Chemicals Agency (ECHA) C&L Inventory database. Accessed at <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>. Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition. OSHA 29CFR 1910.1200 Hazard Communication Standard. TSCA Chemical Substance Inventory. Accessed at <http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html>.

Other information : None.

#### Full text of H-statements:

Carc. 1A	Carcinogenicity, Category 1A
H350	May cause cancer.

#### Abbreviations and acronyms:


	ATE: Acute Toxicity Estimate
	CAS (Chemical Abstracts Service) number
	CLP: Classification, Labelling, Packaging.
	EC50: Environmental Concentration associated with a response by 50% of the test population.
	GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).
	LD50: Lethal Dose for 50% of the test population
	OSHA: Occupational Safety & Health Administration
	PBT: Persistent, Bioaccumulative, Toxic
	TWA: Time Weighted Average
	TSCA: Toxic Substances Control Act

# Polishing Block Large Blue, Large White, Small White; Carpenter's Chalk Blue, White; Walbuck® Railroad Chalk Black, Blue, Brown, Cherry, Green, Orange, Pink, Purple, Sky Blue, White, Extra Black, Yellow; Fluorescent Scanning Chalk Green, Magenta, Orange, Purple, Yellow Green

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

- |                    |   |  |
|--------------------|---|--|
| NFPA health hazard | : | 1 - Materials that, under emergency conditions, can cause significant irritation.      |
| NFPA fire hazard   | : | 1 - Materials that must be preheated before ignition can occur.                        |
| NFPA reactivity    | : | 0 - Normally stable, even under fire exposure conditions, and not reactive with water. |



Indication of changes:  
General information.

**SDS Prepared by:** The Redstone Group, LLC  
6077 Frantz Rd.  
Suite 206  
Dublin, OH USA 43016  
T 614-923-7472  
[www.redstonegrp.com](http://www.redstonegrp.com)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*